

Ship Bells

Model KG-15 Manual Ship Gong

The Kahlenberg KG-15 Manual Ships Gong is built to withstand decades of use in commercial and military marine service. With the exception of bronze bushings in the operating mechanism, the KG-15 is built entirely from stainless steel including the mounting bracket assembly. Manually operated with a stainless pull lanyard, the KG-15 Bell is a simple but effective solution to meet International IMO and COLREG requirements for a gong (in addition to ship's bell) sounding at a minimum of 110 dB(A) on all vessels over 100 meters in length.

TECHNICAL DATA

S.P.L.: 110 dB (A)

Material: Stainless Steel

Net Weight: 18 lbs. (8.2 kg)

Dimensions: 15" Dia. X 6.52" (381 mm Dia. X 166 mm)

Operating Mechanism: Manual Pull Lanyard



- STAINLESS STEEL LOW PROFILE CONSTRUCTION
- FOR VESSELS OVER 75 METERS IN LENGTH
- MEETS OR EXCEEDS IMO AND USCG REQUIREMENTS
- HIGHLY RELIABLE, VIRTUALLY NO MAINTENANCE
- MANUALLY OPERATED




general *Marine* services

 Sales
 Ph +64 9 309 0048 · sales@generalmarine.co.nz

 Service
 Ph +64 9 368 0938 · service@generalmarine.co.nz

www.generalmarine.co.nz

available from the team at General Marine Services





 GENERAL
 156 Beaumont Street · Westhaven · Auckland · New Zealand

 Marine Sales Ph +64 9 309 0048 · sales@generalmarine.co.nz

 SERVICES
 Service Ph +64 9 368 0938 · service@generalmarine.co.nz

www.generalmarine.co.nz